

# onda.

**Refrigerated high speed centrifuge, big capacity**  
**RABIA HR-12000L**



# Refrigerated high speed centrifuge, big capacity

## RABIA HR-12000L

### TECHNICAL SPECIFICATIONS.

#### APPLICATION.

This floor-standing centrifuge is widely used in the fields of biochemistry, pharmaceutical plants and laboratories.

#### MOTOR CHARACTERISTICS.

Brushless induction motor which ensures no dust contamination and a fast up and down speed.

#### MAX SPEED.

12 000 tr/min

#### MAX RCF.

22650 x g

#### MAX VOLUME.

4x1000 ml

#### TIMER.

1~9 h 59 min

#### TEMPERATURE.

-20°C-40°C

#### SCREEN.

LCD screen, optional - touch screen.

#### PROTECTION.

Automatic lid locking, protection against imbalances.

#### SIMPLE AND INTUITIVE OPERATION.

Microprocessor control, high-resolution LCD screen with touchscreen functionality. Parameters (speed, RCF, time) running during operation can be edited and modified.

#### NOISE LEVEL.

≤ 60 (dB)

#### POWER SUPPLY AC 220V / 110V, 50Hz / 60HZ

#### DIMENSIONS & WEIGHT.

780x675x830mm, 260 kg



# Refrigerated high speed centrifuge, big capacity

## RABIA HR-12000L

### Matching rotors



Centri.

Reference	Rotor	Max speed, tr/min	Max volume, ml	Max RCF, ×g
ONCFRA1401	Angle rotor	12000 8000	6×300ml	22650
ONCFRA1402		12000	6×500ml	11740
ONCFRA1403		4000	6×250ml	23670
ONCFRA1404	Swing rotor		4×1000ml round cup	4060
ONCFRA1405			4×1000ml oval cup	4060
ONCFRA1406	Microplate rotor	4000	4×4×96 wells	2940

Document non contractuel. Caractéristiques techniques sans avertissement préalable.

**ona.**

ZAC Melville Lynch, 4B Rue de Lestandau, 64600 Anglet - FRANCE  
Tel. +33 5 59 03 19 88 - [contact@onafrance.com](mailto:contact@onafrance.com) - [www.onafrance.com](http://www.onafrance.com)